

PINTU BAJA

FIREPROOF STEELDOOR
1-2 HOURS

- Fireproof Steel Door
Singel Fireproof Steel Door
Mother & Son Fireproof Steel Door
- Shaft Steel Door
Singel Shaft Steel Door
Double Shaft Steel Door
- Steel Door
Singel Steel Door
Glass Steel Door
- Emergency Steel Door
Singel Emergency Steel Door
Double Emergency Steel Door

MARS
STEELDOOR



LUXURY STEEL DOOR
MODERN STEEL DOOR
EXCELLENT DOOR
ECO GREEN DOOR



Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door



Single Emergency SD




Double Emergency SD



Standard Steel Door



Sliding Steel Door M1



UKURAN STANDAR FRAME 2100 x 1000 x 100
UKURAN DAUN PINTU 2030 x 932 x 40

Frame (Kusen)	Frame/ Kusen	EGI STL 1.6 mm
	Sill / ambang	SUS 1.2 mm
	Gasket	Fireproof door gasket
	Material isi	Cement mortar
Door (Pintu)	Daun pintu	EGI STL 0.8 mm
	Side Stiffener	EGI STL 1.6 mm
	Door closer plate	EGI STL 300 mm x 150 mm x 1.6 mm
	Door lock plate	EGI STL 140 mm x 200 mm x 1.2 mm
	Filling material	Fireproof Honeycomb
	Safety pin	STL
Additional	Finishing	Hot Powder Coating
	Additional	2-20 mm Glass

*Costum Size/ Resizeable

Louvree Steel Door



Shaft Steel Door



Sliding Door Super Large



Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door



MMI FIRE DOOR




Specification	Single (FD)	DOUBLE (FD S-02)
Door Leaf Max Weight	150kg	250 Kg
Door Widht	Up to 1100mm or More	Up to 2000mm (more)
Door height	Up to 2400mm or More	Up to 2400 mm (more)
Door Jamb	Steel Plate (2mm)/EGI	Steel Plate (2mm)/EGI
Door	Steel Plate (1.5mm)/EGI	Steel Plate (1.5mm)/EGI
Insulated	Rock wool T-100Kg/m3	Rock wool T-100Kg/m3
Glass View	200x600mm (TBA) 6mm thk	200x600mm (TBA) 6mm thk
Handle	Panic Exit Device	Panic Exit Device
Hinges	HKM 4,5x4x3mm 2BB SS	HKM 4,5x4x3mm 2BB SS
Door Closer	HKM Door Closer DDDCOO4	HKM Door Closer DDDCOO4
Finishing	Powder Coating	Powder Coating

Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door

MARS
STEELDOOR



MMI STEEL DOOR & SHAFT DOOR






Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door

MARS
STEELDOOR



MMI STEEL DOOR SHOP DRAWING



Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door

MARS
STEELDOOR



MMI SLIDING DOOR



Specification	One Way or Two Way Sliding Door
Door Leaf Max Weight	Subject to Size
Door Widht	3000mm or more
Door height	3000mm or more
Door	Steel Plate (1.5mm) /EGI-Electro galvanized steel
Insulated	Foam Density 15kg/m3
Finishing	Powder Coating


HARDWARE		CODE NO.
1 UNIT	TRACK	Galvanize Steel 6255/400 Manton
	HANGER	Hanger Top Fixing 0265/400 Manton
	HANDLE	Pull Handle 2520SS 304HL
	STOPPER	Stopper with rubber buffers 2098 Manton

Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door

MARS
STEELDOOR



MMI SLIDING DOOR SHOP DRAWING



Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door



MMI STEEL DOOR ACCESSORIES



Manual Key



Panic Bar



Door Closer



Flush Door



Shaft Lockcase



Deadbolts DB200



HL03-SS



Door Locks HL01-20 SS



Door Locks D58 SS



HARD WARE	CODE NO
HINGE	ONASIS 4543SS
PANIC BAR	HK-M PD03 & Lever Trim PD012
HANDLE SET	ONASIS 201
DOOR CLOSER	HK-M DD03
GLASS/LOUVREE	WIRE GLASS 6 MM Thk/LOUVREE

Steel Door, Fire Door, Emergency Door Sliding Door, Shaft Door



DOOR I FAF INSIDE MATERIAL



Mineral wool



TM Board



Glass Wool



Honey Comb Paper Fireproof